

Appendix 3

References: Nautiloidea

- CHIRAT, R. 1997. *Les Nautilida post-triasiques. Paléobiologie, paléoécologie, paléobiogéographie et systématique à la lumière des données récemment acquises sur Nautilus*. 322 pp. Thèse de Doctorat d'Etat, Université de Caen (unpublished).
- CHIRAT, R. & BUCHER, H. 2006. Shell microstructure and morphogenesis of the ornamentation in *Cymatoceras* Hyatt, 1883, Cretaceous Nautilida. Systematic implications. *Lethaia* 39, 57–64. DOI 10.1080/00241160600582069
- CHIRAT, R. & RIOULT, M. 1998. Occurrence of early post-hatching Jurassic Nautilida in Normandy, France: palaeobiologic, palaeoecologic and palaeobiogeographic implications. *Lethaia* 31, 137–148. DOI 10.1111/j.1502-3931.1998.tb00500.x
- CICHOWOLSKI, M. 2003. The nautiloid genus *Cymatoceras* from the Cretaceous of the Neuquén and Austral basins, Argentina. *Cretaceous Research* 24, 375–390. DOI 10.1016/S0195-6671(03)00050-8
- CICHOWOLSKI, M., AMBROSIO, A. & CONCHEIRO, A. 2005. Nautilids from the Upper Cretaceous of the James Ross Basin, Ant-arctic Peninsula. *Antarctic Science* 17, 267–280. DOI 10.1017/S0954102005002671
- LANDMAN, N.H., RYE, D.M. & SHELTON, K.L. 1983. Early ontogeny of *Eutrephoceras* compared to recent *Nautilus* and Mesozoic ammonites: evidence from shell morphology and light stable isotopes. *Paleobiology* 9, 269–279.
- MAPES, R.H., NIKO, S., FRÝDA, J. & NUETZEL, A. 2007. A newly hatched coiled nautiloid from the Permian of Italy. *Journal of Paleontology* 81, 1118–1121. DOI 10.1666/paleo05-144.1
- MATSUMOTO, T., TAKAHASHI, T., OBATA, I. & FUTAKAMI, M. 1984. Cretaceous nautiloids from Hokkaido – IV. An interesting nautiloid species from the Cenomanian of Hokkaido. *Transactions and Proceedings of the Palaeontological Society of Japan, New Series* 133, 288–299.
- NIELSEN, S.N., BANDEL, K. & KRÖGER, B. 2009. Palaeobiogeographical provenance, taphonomy, and mode of life of *Aturia cubensis* (Cephalopoda, Nautiloidea) from Cenozoic deposits of Chile. *Geobios* 42, 73–88. DOI 10.1016/j.geobios.2008.07.006
- RUZHENCEV, V.E. & SHIMANSKY, V.N. 1954. Lower Permian coiled and curved Nautiloidea of the South Urals. *Transactions of the Palaeontological Institute of Academy of Sciences of the USSR* 50, 1–150. [in Russian]
- SAUNDERS, W.B. & LANDMAN, N. (eds) 2010. *Nautilus. The Biology and Paleobiology of a Living Fossil, Reprint with additions. 2nd edition. Topics in Geobiology, Volume 6*. 713 pp. Springer, Dordrecht, Heidelberg, London, New York.
- SHIMANSKY, V.N. 1975. Cretaceous Nautiloidea. *Transactions of the Palaeontological Institute of Academy of Sciences of the USSR* 150, 1–208.
- SOBOLEV, E.S. 1989. Triassic nautilids of North-East Asia. *Transactions of the Institute of Geology and Geophysics, Siberian Branch of Academy of Sciences of the USSR* 727, 1–192. [in Russian]
- STEPHEN, D.A. & STANTON, R.J. 2002. Impact of reproductive strategy on cephalopod evolution. *Abhandlungen der Geologischen Bundesanstalt* 57, 151–155.
- TUREK, V. 2007. Systematic position and variability of the Devonian nautiloids *Hercoceras* and *Ptenoceras* from the Prague Basin (Czech Republic). *Bulletin of Geosciences* 82(1), 1–10. DOI 10.3140/bull.geosci.2007.01.1
- WANI, R. & AYYASAMIB, K. 2009. Ontogenetic change and intra-specific variation of shell morphology in the Cretaceous nautiloid (Cephalopoda, Mollusca) *Eutrephoceras clementinum* (d'Orbigny, 1840) from the Ariyalur Area, Southern India. *Journal of Paleontology* 83, 365–378. DOI 10.1666/08-119.1
- WANI, R. & MAPES, R.H. 2010. Conservative evolution in nautiloid shell morphology: evidence from the Pennsylvanian nautiloid *Metacoceras mcchesneyi* from Ohio, USA. *Journal of Paleontology* 84, 477–492. DOI 10.1666/09-158.1
- WARD, P.D. & SAUNDERS, W.B. 1997. *Allonautilus*: A new genus of living nautiloid cephalopod and its bearing on phylogeny of the Nautilida. *Journal of Paleontology* 71, 1054–1064.
- ZAKHAROV, Y.D. & SHIGETA, Y. 2000. *Gyronautilus*, a new genus of Triassic Nautilida from South Primorye, Russia. *Paleontological Research* 4(4), 231–234.

References: Ammonoidea

- ALEKSEYEV, S.N., ARKADIEV, V.V. & VAVILOV, M.N. 1984. Internal structure and ontogeny of certain Middle Triassic ceratites. *Paleontological Journal* 2, 51–64. [in Russian]
- ARKADIEV, V.V. 2002. A new genus *Leiophylloceras* (Phylloceratida, Ammonoidea) from the Berriasian of the Mountainous Crimea. *Paleontological Journal* 36, 609–614.
- ARKADIEV, V.V., BUCHER, H. & VAVILOV, M.N. 1993. Structure and systematic position of the Middle Anisian genus *Nevadisculites* (Ammonoidea) from Nevada (USA). *Paleontological Journal* 3, 30–36. [in Russian]
- ARKADIEV, V.V. & VAVILOV, M.N. 1984a. Inner structure and ontogeny of Late Anisian Beyrichitidae (Ammonoidea) of Middle Siberia. *Paleontological Journal* 4, 63–72. [in Russian]
- ARKADIEV, V.V. & VAVILOV, M.N. 1984b. Middle Triassic Parapanoceratidae and Nathorstitidae (Ammonoidea) of Bohemian region: internal structure, ontogeny and phylogenetic patterns. *Geobios* 17, 397–425. DOI 10.1016/S0016-6995(84)80016-9
- ATABEKYAN, A.A. & MIKHAILOVA, I.A. 1976. Peculiarities of turrilitid development on example of *Hypoturrilites gravesianus* Orb. *Transactions of the Academy of Sciences of the USSR* 231, 1230–1233. [in Russian]
- BOCKWINKEL, J., BECKER, R.T. & EBBIGHAUSEN, V. 2009. Upper Givetian ammonoids from Dar Kaoua (Tafilelt, SE Anti-Atlas, Morocco). *Berliner Paläobiologische Abhandlungen* 10, 61–128.
- BOGDANOVA, T.N. & ARKADIEV, V.V. 2005. Revision of species of

- the ammonite genus *Pseudosubplanites* from the Berriassian of the Crimean mountains. *Cretaceous Research* 26, 488–506. DOI 10.1016/j.cretres.2005.02.003
- BODYLEVSKY, V.I. 1925. The development of *Cadoceras elatmae* Nik. *Annuaire de la Société Paléontologique de Russie* 5(1), 61–94. [in Russian]
- BOGOSLOVSKAYA, M.F. 1959. Inner structure of shells of some Artinskian ammonoidea. *Paleontological Journal* 1, 49–57. [in Russian]
- BOGOSLOVSKY, B.I. 1981. Devonian ammonoidea. 3. Clymeniids (Suborder Gonioclymeniina). *Transactions of the Palaeontological Institute of Academy of Sciences of the USSR* 191, 1–124. [in Russian]
- DE BAETS, K., KLUG, C., KORN, D. & LANDMAN, N.H. 2012. Early evolutionary trends in Ammonoid embryonic development. *Evolution* 66, 1788–1806. DOI 10.1111/j.1558-5646.2011.01567
- CLAUSEN, C.-D. 1969. Oberdevonische Cephalopoden aus dem Rheinischen Schiefergebirge. II. Gephuroceratidae, Beloceratidae. *Palaeontographica, Abteilung A* 132, 95–178.
- DAUPHIN, Y. 1975. Anatomie de la protoconque et des tours initiaux de *Beudanticeras beudanti* (Brongniart) et *Desmoceras latidorsatum* (Michelin), (Desmoceratidae, Ammonitina) Albien de Gourdon (Alpes – Maritimes). *Annales de Paléontologie, Invertebres* 61(1), 1–16.
- DIETL, G. 1978. Die heteromorphen Ammoniten des Dogger. *Stuttgarter Beiträge zur Naturkunde, Serie B* 33, 1–97.
- DOGZHAEVA, L.A. & MIKHAILOVA, I.A. 1982. The genus *Lupovia* and the phylogeny of Cretaceous heteromorphic ammonoids. *Lethaia* 15, 55–65. DOI 10.1111/j.1502-3931.1982.tb01974.x
- DRUSHCHITS, V.V. 1956. *Lower Cretaceous ammonites of Crimea and Northern Caucasus*. 149 pp. Moscow State University, Moscow. [in Russian]
- DRUSHCHITS, V.V., DOGUZHAeva, L.A. & LOMINADZE, T.A. 1976. Structure of protoconch and phragmocone of three Callovian ammonite genera (*Pseudocadoceras*, *Cadoceras*, *Kosmoceras*). *Bulletin of the Academy of Sciences of Georgian SSR* 81, 497–500. [in Russian]
- DRUSHCHITS, V.V. & MIKHAILOVA, I.A. 1973. On systematic position of Tetragonitidae (Lytoceratida, Ammonoidea). *Transactions of the Academy of Sciences of the USSR* 209, 953–955. [in Russian]
- DRUSHCHITS, V.V., MURAVIN, E.S. & BARANOV, V.N. 1983. Morphogenesis of shells of the Middle Volgian ammonites from genera *Virgatites*, *Lomonossovella*, *Epivirgatites*. *Bulletin of Moscow State University, Series 4, Geology* 4, 35–44. [in Russian]
- DRUSHCHITS, V.V., MURAVIN, E.S. & BARANOV, V.N. 1985. Shell morphogenesis of the Late Volgian ammonites *Craspedites* and *Kachpurites* from Yaroslavl Volga area, 132–124. In MENNER, V.V. (ed.) *Fossil cephalopods*. Nauka, Moscow. [in Russian]
- DRUSHCHITS, V.V. & DOGUZHAeva, L.A. 1981. *Ammonites under electronic microscope (Ammonity pod elektronnym mikroskopom)*. 240 pp. Moscow University Press, Moscow. [in Russian]
- ERBEN, H.K. 1964. Die Evolution der ältesten Ammonoidea (Lieferung I). *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen* 120, 107–212.
- GRANDJEAN, F. 1910. Le siphon des ammonites et des belemnites. *Bulletin de la Société Géologique de France, Série 4(10)*, 496–519.
- HALL, R.L. & WESTERMANN, G.E.G. 1980. Lower Bajocian (Jurassic) cephalopod faunas from Western Canada. *Palaeontographica Americana* 9(52), 1–93.
- HILLEBRANDT, A. von 2006. Ammoniten aus dem Pliensbachium (Carixium und Domerium) von Südamerika. *Revue de Paléobiologie* 24(1), 1–403.
- HILLEBRANDT, A. von & KRYSTIN, L. 2009. On the oldest Jurassic ammonites of Europe (Northern Calcareous Alps, Austria) and their global significance. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen* 253(2–3), 163–195. DOI 10.1127/0077-7749/2009/0253-0163
- HOUSE, M.R. 1965. Devonian goniatites from Nevada. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen* 122, 337–342.
- HOUSE, M.R. & KIRCHGASSER, W.T. 2008. Late Devonian *Goniaites* (Cephalopoda, Ammonoidea) from New York State. *Bulletins of American Paleontology* 374, 1–288.
- IGOLNIKOV, A.E. 2007. A new species of the genus *Boreophylloceras* Alekseev et Repin, 1998 (Ammonitida) from the Berriasian *kochi* Zone of North-Central Siberia. *Paleontological Journal* 41(2), 128–131. DOI 10.1134/S0031030107020037
- KAKABADZE, M.V., BOGDANOVA, T.N. & MIKHAILOVA, I.A. 1978. On stratigraphy of the Middle Aptian of south of the USSR and some heteromorphic ammonites. *Bulletin of Moscow Society of the Naturalists, Section Geology* 53(6), 75–90. [in Russian]
- KLIMOVA, I.G. 1983. New ammonites from Neocomian of Northern Siberia, 117–124. In *New data on stratigraphy and paleogeography of the oil-and-gas-bearing basins of Siberia*. Novosibirsk. [in Russian]
- KLIMOVA, I.G. 1987. Siberian morph of the Early Valanginian ammonite *Costamenjaites jucundus* Sasonova, 64–69. In *New species of ancient plants and invertebrates of Phanerozoic of the Siberia*. Novosibirsk. [in Russian]
- KNYAZEV, V.G. 1975. Ammonites and zonal stratigraphy of the Lower Oxfordian of North Siberia. *Transactions of the Institute of Geology and Geophysics, Siberian Branch of Academy of Sciences of the USSR* 275, 1–139. [in Russian]
- KNYAZEV, V.G., KUTYGIN, R.T. & MELEDINA, S.V. 1993. Ammonites (Dactylioceratidae) and zonal scheme of the Lower Toarcian of East Siberia. *Russian Geology and Geophysics* 34(3), 10–23. [in Russian]
- KORN, D. & KLUG, C. 2007. Conch form analysis, variability, morphological disparity, and mode of life of the Frasnian (Late Devonian) ammonoid *Manticoceras* from Coumiac (Montagne Noire, France), 57–85. In LANDMAN, N.H., DAVIS, R.A. & MAPES, R.H. (eds) *Cephalopods Present and Past: New Insights and Fresh Perspectives*. Springer, New York. DOI 10.1007/978-1-4020-6806-5_3
- KUTYGIN, R.V. 2004. *Uraloceras subsimense*, a new goniatite species from the Lower Permian of the Verkhoyansk region. *News of Palaeontology and Stratigraphy* 6–7, 125–131. [in Russian]
- KUTYGIN, R.V. 2009. Techniques for studying the shape of the medial spiral in ammonoids, 124–126. In LEONOV, T.B.,

- BARSKOV, I.S. & MITTA, V.V. (eds) *Contributions to current cephalopod research: morphology, systematics, evolution, ecology and biostratigraphy*. PIN RAS, Moscow. [in Russian]
- KVANTALIANI, I.V. 1999. Berriasian cephalopods of the Crimea and the Caucasus. *Proceedings of the Geological Institute of Georgian Academy of Sciences, New Series* 112, 1–189. [in Russian]
- KVANTALIANI, I.V., LOMINADZE, T.A., TOPCHISHVILI, I.V. & SHARIKADZE, M.Z. 1999. Systematics and phylogeny of Mesozoic Ammonitida. *Proceedings of the Geological Institute of Georgian Academy of Sciences, New Series* 113, 1–160. [in Russian]
- LANDMAN, N.H. 1982. Embryonic shells of Baculites. *Journal of Paleontology* 56, 1235–1241.
- LANDMAN, N.H. 1987. Ontogeny of Upper Cretaceous (Turonian-Santonian) scaphitid ammonites from the Western Interior of North America: systematics, developmental patterns, and life history. *Bulletin of the American Museum of Natural History* 185, 117–241.
- LANDMAN, N.H., TANABE, K. & SHIGETA, Y. 1996. Ammonoid embryonic development, 343–405. In LANDMAN, N.H., TANABE, K. & DAVIS, R.A. (eds) *Ammonoid paleobiology. Topics in Geobiology* 13. Plenum Press, New York.
- LANDMAN, N.H. & WAAGE, K.M. 1993 Scaphitid ammonites of the Upper Cretaceous (Maastrichtian) Fox Hills Formation in South Dakota and Wyoming. *Bulletin of the American Museum of Natural History* 215, 1–257.
- LOMINADZE, T.A. & KVANTALIANI, I.V. 1986. The morphogenesis of the shell of the Volgian genus *Dorsoplaniites* Semenov, 1898 (Ammonoidea, Cephalopoda). *Paleontological Collection* 23, 27–32. [in Russian]
- MIKHAILOV, N.P. 1964. Boreal Late Jurassic (Lower Volgian) ammonites (Virgatosiphinctinae). *Transactions of the Geological Institute of the Academy of Sciences of USSR* 107, 7–88. [in Russian]
- MIKHAILOV, N.P. 1966. Boreal Jurassic ammonites (Dorsoplantinae) and zonal subdivision of the Volgian Stage. *Transactions of the Geological Institute of the Academy of Sciences of USSR* 151, 5–116. [in Russian]
- MIKHAILOVA, I.A. 1960. Ontogeny and systematic position of the genus *Colombiceras*. *Bulletin of Moscow Society of the Naturalists, Section Geology* 35(2), 116–122. [in Russian]
- MIKHAILOVA, I.A. 1962. Upper Aptian parahoplitids of the Daghestan and Central Ciscaucasia, 132–140. In *Materials on geology and metallogeny of Central and Western Caucasus*. [in Russian]
- MIKHAILOVA, I.A. 1972. A little-known ammonite genus from the Cluney horizon (Lower Cretaceous). *Paleontological Journal* 3, 78–86. [in Russian]
- MIKHAILOVA, I.A. 1973a. On ontogeny of ammonites from the family Leymeriellidae. *Paleontological Journal* 3, 26–34. [in Russian]
- MIKHAILOVA, I.A. 1973b. On ontogeny of two species of the genus *Hoplites* Neumayr (Ammonoidea, Hoplitaceae). *Bulletin of Moscow Society of the Naturalists, Section Geology* 48(3), 91–101. [in Russian]
- MIKHAILOVA, I.A. 1973c. The ontogeny of four species of the genus *Cleoniceras* Parona and Bonarelli (Hoplitaceae, Ammonoidea). *Bulletin of Moscow Society of the Naturalists, Section Geology* 48(3), 45–57. [in Russian]
- MIKHAILOVA, I.A. 1974a. Peculiarities of the genus *Sonneratia* Bayle and its systematical position. *Bulletin of Moscow Society of the Naturalists, Section Geology* 49(1), 106–118. [in Russian]
- MIKHAILOVA, I.A. 1974b. The relationship between Early Cretaceous and Late Cretaceous Hoplitaceae. *Review of the Bulgarian Geological Society* 35(2), 117–132. [in Russian]
- MIKHAILOVA, I.A. 1975. On ontogeny of some representatives of Hoplitidae (Ammonoidea). *Paleontological Journal* 2, 46–54. [in Russian]
- MIKHAILOVA, I.A. 1976. New data on ontogeny of some parahoplitids. *Paleontological Journal* 1, 57–66. [in Russian]
- MIKHAILOVA, I.A. 1980. On ontogeny of the *Anahoplites* Hyatt. *Bulletin of Moscow State University, Series 4, Geology* 3, 79–95. [in Russian]
- MIKHAILOVA, I.A. 1983a. Morphogenesis of Cenomanian Acanthocerataceae (Ammonoidea) *Bulletin of Moscow State University, Series 4, Geology* 4, 44–95. [in Russian]
- MIKHAILOVA, I.A. 1983b. *System and phylogeny of Cretaceous Ammonoidea*. 279 pp. Nauka, Moscow. [in Russian]
- MIKHAILOVA, I.A. & SAVELIEV, A.A. 1994. A new genus *Sulcohoplites* (Ammonoidea) from Albian of the Mangyshlak Peninsula. *Paleontological Journal* 28(1A), 73–80.
- MILLER, A.K. & UNKLESBAY, A.G. 1943. The siphuncle of Late Paleozoic ammonoids. *Journal of Paleontology* 17, 1–25.
- MORARD, A. & GUEX, J. 2003. Ontogeny and covariation in the Toarcian genus *Osperleioceras* (Ammonoidea). *Bulletin de la Société géologique de la France* 174, 607–615.
DOI 10.2113/174.6.607
- MURPHY, M.A. & RODDA, P.U. 2006. California Early Cretaceous Phylloceratidae (Ammonoidea). *University of California, Riverside, Campus Museum Contribution* 7, 1–97.
- NISHIMURA, T., MAEDA, H. & SHIGETA, Y., 2006. Ontogenetic shell development of a Cretaceous desmoceratine ammonoid “*Tragodesmoceroides subcostatus*” Matsumoto, 1942 from Hokkaido, Japan. *Paleontological Research* 10(1), 11–28.
- PALFRAMAN, D.F.B. 1966. Variation and ontogeny of some Oxfordian ammonites: *Taramelliceras richei* (de Loriol) and *Creniceras renggeri* (Oppel), from Woodham, Buckinghamshire. *Palaeontology* 9, 290–308.
- PALFRAMAN, D.F.B. 1967. Variation and ontogeny of some Oxfordian ammonites: *Distichoceras bicostatum* (Stahl) and *Horioceras baugieri* (d’Orbigny), from England. *Palaeontology* 10, 60–94.
- PALFRAMAN, D.F.B. 1969. Taxonomy of sexual dimorphism in ammonites: Morphogenetic evidence in *Hecticoceras brightii* (Pratt). *International Union of Geological Sciences, Series A 1*, 126–154.
- PARENT, H. 1997. Ontogeny and sexual dimorphism of *Eurycephalites gottschei* (Tornquist) (Ammonoidea) of the Andean Lower Callovian (Argentine, Chile). *Geobios* 30, 407–419.
DOI 10.1016/S0016-6995(97)80201-X
- RAKÚS, M. 1999. Liassic ammonites from Hierlitz, Austria. *Abhandlungen der Geologischen Bundesanstalt* 56, 343–377.
- RAKÚS, M. & GUEX, J. 2002. Les ammonites du Jurassique inférieur et moyen de la dorsale tunisienne. *Mémoires de Géologie Lausanne* 39, 1–217.

- REIN, S. 2005. Zur Biologie der Ceratiten der spinosus-Zone – Ergebnisse einer Populationsanalyse, Teil III: Schlußfolgerungen zur biologischen Organisation und Lebensweise des Ceratitentieres. *Veröffentlichungen Naturkundemuseum Erfurt* 24, 13–34.
- REIN, S. 2006. Zur Biologie der Ceratiten der compressus-Zone – Ergebnisse einer Populationsanalyse. *Veröffentlichungen Naturkundemuseum Erfurt* 25, 47–68.
- REPIN, Y.S. 2005. Ammonoids of the order Phylloceratida (Ammonoidea) from the Middle Jurassic of northeastern Asia. *Paleontological Journal* 39, 141–147.
- REPIN, Y.S., MELEDINA, S.V. & ALEXEEV, S.N. 1998. Phylloceratids (Ammonoidea) from the Lower Jurassic of Northeastern Asia. *Paleontological Journal* 32, 461–473.
- ROUGET, I. & NEIGE, P. 2001. Embryonic ammonoid shell features: intraspecific variation revisited. *Palaeontology* 44, 53–64. DOI 10.1111/1475-4983.00169
- RUZHENCEV, V.E. & SHIMANSKY, V.N. 1954. Lower Permian coiled and curved Nautiloidea of the South Urals. *Transactions of the Palaeontological Institute of Academy of Sciences of the USSR* 50, 1–150. [in Russian]
- SCHOULGA-NESTERENKO, M. 1926. Nouvelles données sur l’organisation intérieure des conques des ammonites de l’étage d’Artinsk. *Bulletin de la Société des Naturalistes de Moscou, Section Géologique* 2(34), 81–99.
- SENIOR, J.R. 1977. The Jurassic ammonite *Bredya* Buckman. *Palaeontology* 20, 675–693.
- SHIGETA, Y. 1993. Post-hatching early life history of Cretaceous Ammonoidea. *Lethaia* 26, 133–145. DOI 10.1111/j.1502-3931.1993.tb01804.x
- SHULGINA, N.I. 1985. Boreal basins in the Jurassic-Cretaceous transition. *Transactions of VNII Okeangeologiya* 193, 3–161. [in Russian]
- SMITH, J.P. 1897. The development of *Glyphioceras* and the phylogeny of the Glyphioceratidae. *Proceedings of the California Academy of Sciences. III Series, Geology* I(3), 105–128.
- SMITH, J.P. 1898. The development of *Lytoceras* and *Phylloceras*. *Proceedings of the California Academy of Sciences. III Series, Geology* I(4), 129–160.
- SMITH, J.P. 1900. The Development and Phylogeny of *Placenticeras*. *Proceedings of the California Academy of Sciences. III Series, Geology* I(6), 181–241.
- SMITH, J.P. 1903. The Carboniferous Ammonooids of America. *Monographs of the United States Geological Survey* 42, 1–211.
- SPATH, L.F. 1914. On the development of *Tragophylloceras loscombi* (J. Sowerby). *Quarterly Journal of the Geological Society* 70, 336–362. DOI 10.1144/GSL.JGS.1914.070.01-04.21
- SPATH, L.F. 1950. The study of ammonites in thin median sections. *Geological Magazine* 87, 77–84. DOI 10.1017/S0016756800076561
- SPREY, A.M. 2002. Early ontogeny of three Callovian ammonite genera [*Binatisphinctes*, *Kosmoceras* (*Spinikosmoceras*) and *Hecticoceras*] from Ryazan (Russia). *Abhandlungen der Geologischen Bundesanstalt* 57, 225–255.
- TANABE, K., OBATA, I., FUKUDA, Y. & FUTAKAMI, M. 1979. Early shell growth in some Upper Cretaceous ammonites and its implications to major taxonomy. *Bulletin of the National Science Museum (Tokyo), Series C (Geology and Paleontology)* 5, 153–176.
- TANABE, K., LANDMAN, N.H. & MAPES, R.H. 1994. Early shell features of some Late Paleozoic ammonoids and their systematic implications. *Transactions and Proceedings of the Palaeontological Society of Japan, New series* 173, 384–400.
- TANABE, K. & OHTSUKA, Y. 1985. Ammonoid early internal shell structure: its bearing on early life history. *Paleobiology* 11, 310–322.
- VAVILOV, M.N. 1992. *Stratigraphy and ammonoids of the Middle Triassic deposits of North-East Asia*. 234 pp. Nedra, Moscow. [in Russian]
- VOGEL, K.-P. 1959. Zwerghwuchs bei Polyptychiten (Ammonoidea). *Geologische Jahrbuch* 76, 469–540.
- WISSNER, U.F.G. & NORRIS, A.W. 1991. Middle Devonian goniatites from the Dunedin and Besa River formations of northeastern British Columbia. *Geological Survey of Canada, Bulletin* 412, 45–79.
- ZAKHAROV, Y.D. 1970. Early Triassic *Olenekites* and *Keyserlingites* of the Olenek river (results of studying of ceratites in thin sections), 5–39. In *Triassic invertebrates and plants of east of the USSR*. Vladivostok. [in Russian]
- ZAKHAROV, Y.D. 1974. New data on inner structure of shell of the Carboniferous, Triassic and Cretaceous ammonoids. *Paleontological Journal* 1, 30–41. [in Russian]
- ZAKHAROV, Y.D. 1978. *Lower Triassic ammonoids of East USSR*. 223 pp. Nauka, Moscow.
- ZAKHAROV, Y.D. & GRABOVSKAYA, V.S. 1984. Shell structure and growth stages of the genus *Zelandites* (Lytoceratida). *Paleontological Journal* 1, 19–29. [in Russian]