

11. References

- Ahmad, M. (1993): The origin of tin in the Mount Wells region, Pine Creek Geosyncline, Northern Territory. *Aust. J. Earth Sci.*, 40, 427–443.
- Ahmad, M. (1994): Fluid inclusion and stable isotope studies of the tin and tantalum bearing pegmatite in the Bynoe area, Pine Creek Geosyncline, Northern Territory. In: Geological Society of Australia, Abstracts No. 37, 12th Australian Geological Convocation, Perth, September 1994, p 5.
- Alexander, K. R., Kavanagh, M. E., Rolfe, G. L. (1990): The Cosmopolitan Howley Gold Mine. In: Hughes, F. (ed.), *Geology of the Mineral Deposits of Australia and Papua New Guinea*. The Australasian Institute of Mining & Metallurgy, Monograph 14, 751–753.
- Bajwah, Z. U. (1991): Geochemical evolution of the Proterozoic Granitoids, related hydrothermal activity responsible for mineralisation, Pine Creek Geosyncline, Northern Territory, Australia. Abstracts for the Inaugural National Meeting of the Specialist Group in Economic Geology of the Geological Society of Australia On "Ore fluids – their origin, flow paths, effects and products", Bureau of Mineral Resources, Geology and Geophysics, Australia, Record, 1990/95, 1–2.
- Bonin, B. (1990): From orogenic to anorogenic settings: evolution of granitoid suites after a major orogenies. *Geol. Jour.* 25, 261–270.
- Bouseily, A. M., Sokkary, A. A. (1975): The relation between Rb, Ba and Sr in granitic rocks. *Chem. Geol.*, 16, 207–219.
- Burke, R. J. (1987): Geology and gold mineralisation of the Mt Shoobridge area, Northern Territory. Honours thesis, University of Melbourne.
- Chappell, B. W., White, A. J. R. (1974): Two contrasting granite types. *Pacific Geology*, 8, 173–174.
- Compston, D. M., Matthai, S. K. (1994): Age constraints on Early Proterozoic gold deposits, Pine Creek Inlier and Tennant Creek Inlier, Northern Australia. In: Geological Society of Australia, Abstracts No. 37, 12th Australian Geological Convocation, Perth, September 1994, pp 70.
- Cooper, W. C. (1990): Gold mineralisation at Bridge Creek, Northern Territory – deformational, structural and chemical controls on mineralisation, Honours thesis (unpublished), James Cook University, Queensland.
- Crohn, P. W. (1968): The mines and mineral deposits of the Katherine-Darwin region. Bureau of Mineral Resources Australia, Bulletin, 82, 171–282.
- Cull, J. P. (1991): Heat flow and regional geophysics in Australia. In: Cermak V., & Rybach, L. (ed.) *Terrestrial heat flow and the lithosphere structure*, 486–500.
- Darnley, A. G. (1982): 'Hot' granites: some general remarks. In: Maurice, Y. T. (ed.), *Uranium in Granites*, Geol. Survey of Canada, Paper 81–23, pp. 1–10.
- Debon, F., Le Fort, P. (1983): A chemical-mineralogical classification of common plutonic rocks and associations. *Trans. Royal Soc. Edinburgh. Earth. Sci.*, 73, 135–149.
- Debon, F., Le Fort, P. (1983): A cationic classification of common plutonic rocks and their magmatic association: principles, methods, applications. *Bull. Mineral.*, 111, 493–510.
- Ewers, G. R., Needham, R. S., Stuart-Smith, P. G., Crick, I. H. (1985): Geochemistry of the low-grade Early Proterozoic sedimentary sequence in the Pine Creek Geosyncline. *Aust. J. Earth Sci.*, 32, 137–154.
- Fehn, V., Cathles, L. M., Holland, H. D. (1978): Hydrothermal convection and uranium deposits in abnormally radioactive plutons; *Economic Geology*, v. 73, no. 3, p. 1556–1566.
- Ferguson, J. (1980): Metamorphism in the Pine Creek Geosyncline and its bearing on stratigraphic correlations. In: Ferguson, J. and Goleby, A. B. (eds.), *Uranium in the Pine Creek Geosyncline*. International Atomic Energy Agency, pp. 91–100.
- Ferguson, J., Chappell, B. W., Goleby, A. B. (1980): Granitoids in the Pine Creek Geosyncline. In: Ferguson, J. & Goleby, A. B. (eds.), *Uranium in the Pine Creek Geosyncline*. International Atomic Energy Agency, pp. 73–90.
- Ferguson, J., Needham, R. S. (1978): The Zamu Dolerite: A Lower Proterozoic preorogenic continental tholeiitic suite from the Northern Territory, Australia. *Journal of the Geological Society of Australia*, 25, 309–322.
- Förster, H. J., Tischendorf, G. (1994): The western Erzgebirge-Vogtland granites: Implications to the Hercynian magmatism in the Erzgebirge-Fichtelgebirge anticlinorium. In: Seltmann, R., Kampf, H. & Möller, P. (eds.). *Metallogeny of collisional orogens*. Proceedings of the IAGOD Erzgebirge Meeting, Geyer.
- Fraser, W. J. (1975): Waterhouse, Rum Jungle, NT Exploration of Waterhouse No 2 prospect and Mt Minza area. CRA Exploration Pty Ltd NT Department of Mines and Energy, Company Report, CR 75/145 (unpublished).
- Gastil, G., Nozawa, T., Tainoshio, Y. (1991): The tectonic implications of asymmetrically zoned plutons. *Earth Planet. Sci. Lett.*, 102, 302–309.
- Golding, S. D., Barley, M. E., Cassidy, K. F., Groves, D. I., Ho, S. E., Hronsky, J., McNaughton, N. J., Sang, J. H., Turner, J. V. (1990): Constraints on genesis of primary gold deposits: Oxygen and hydrogen Isotope studies. In: Ho, S. E., Groves, D. I. & Bennett, J. M. (eds.), *Gold deposits of the Archaean Yilgarn Block, Western Australia: Nature, genesis and exploration guides*. Geol. Dept & Extension, Univ. West. Aust., Publ. 20, 253–258.
- Golding, S. D., Groves, D. I., McNaughton, N. J., Mikucki, E. J., Sang, J. H. (1990): Constraints on genesis of primary gold deposits: Sulphur Isotope studies. In: Ho, S. E., Groves, D. I. & Bennett, J. M. (eds.), *Gold deposits of the Archaean Yilgarn Block, Western Australia: Nature, genesis and exploration guides*. Geol. Dept. & Extension, Univ. West. Aust., Publ. 20, 259–262.
- Goulevitch, J. (1980): Stratigraphy of the Kapalga Formation north of Pine Creek and its relationship to base metal mineralisation. In: *Uranium in the Pine Creek Geosyncline*, (Eds: Ferguson, J. and Goleby, A. B.), pp 1–22, (IAEA, Vienna).
- Groves, D. I., Ho, S. E. (1990): A short review of gold in the Yilgarn Block. In: *Geology of the mineral deposits of Australia and Papua New Guinea*, (Ed. Hughes F.), pp 539–553, (AusIMM, Melbourne).
- Groves, D. I., McCarthy, T. S. (1978): Fractional crystallization and the origin of the tin deposits in granitoids. *Mineralium Deposita*, 13, 11–26.
- Gulson, B. L., Mizon, K. J. (1980): Lead isotope studies at Jabluka. In: Ferguson, J. & Goleby, A.B. (eds.), *Proceedings of the International Uranium Symposium on the Pine Creek Geosyncline* : Vienna, Internat. Atomic Energy Agency, p. 439–455.
- Halls, C. (1994): Energy and mechanism in the magmatic-hydrothermal evolution of the Cornubian Batholith: a Review. In: Seltman, R., Kampf, H. & Möller, P. (eds.), *Metallogeny*

- of collisional orogens. Proceedings of the IAGOD Erzgebirge Meeting, Geyer, p 274–294.
- Hammilton, T. W., Ellis, J., Florence, T. M., Fardy, J. J. (1983): Analysis of gold in surface waters from Australian gold fields: An investigation into direct hydrochemical prospecting for gold. Econ. Geology, Vol. 83, pp 135–1341.*
- Hills, J. H., Richards, J. R. (1976): Pitchblende and galena ages in the Alligator Rivers region, Northern Territory, Australia : Mineralium Deposita, Vol.11, pp 133–154.*
- Hurley, P. M., Fisher, N. H., Pinson, W. H., Jr., Fairbairn, H. W. (1961): Geochronology of Proterozoic granites in Northern Territory, Australia; Part 1. K-Ar and Rb-Sr age determinations. Bulletin of the Geological Society of America, 72(5), 653–662.*
- Ishihara, S. (1977): The magnetite series and ilmenite series granitic rocks. Mining Geol., 17, 293–305.*
- Johnston, J. D. (1984): Structural Evolution of the Pine Creek Inlier and mineralisation therein, Northern Territory, Australia, PhD thesis (unpublished), Monash University, Victoria.*
- Jolivet, J., Bienfait, G., Vigneresse, J. L., Cuney, M. (1989): Heat flow and heat production in Brittany (W. France). Tectonophysics, 159, 61–72.*
- Kavanagh, M. E. Vooys, R. A. (1990): Woolwonga gold deposit. In: Geology of the mineral deposits of Australia and Papua New Guinea, (Ed: Hughes F.), pp 747–750, (AusIMM, Melbourne).*
- Kruse, P. D., Whitehead, B. R., Mulder, C. A. (1990): TIPPERARY, Northern Territory (sheet 5170), Bureau of Mineral Resources, Australia, 1:100 000 Geological Map and Commentary.*
- Lau, G. C. (1977): Barite-fluorite-zinc-lead mineralisation in the Tipperary area, Daly River Basin. Northern Territory Geological Survey, Technical Report GS 77/4 (unpubl ed).*
- Lee, M. K., Brown, G. C., Webb, P. C., Wheildon, J., Rollin, K. E. (1987): Heat-flow, heat production and thermo-tectonic setting in mainland U.K. Jour. Geol. Soc., v. 144, p. 35–42.*
- Lehmann, B. (1987): Tin granites, geochemical heritage, magmatic differentiation. - Geol. Rund., 76, 177–185.*
- Lehmann, B., Mahawat, C. (1989): Metallogeny of tin in Central Thailand; A genetic concept. Geology, 17, 426–429.*
- Marshall, T. R., Thorne, J. R., Blake, T. S. (1988): Annual Report for the Prospect Exploration Licences 5298, 5311, 5355, 5489, 5514, 5593 and 5538. Golden Plateau N. L., Mt Bunney Joint Venture Final Report.*
- McGowan, R. J. (1989): Hydrogeology of the Pine Creek mining region. 1:250 000 Geological Map Sheet, Northern Territory of Australia Power and Water Authority, Explan. Notes.*
- McNaughton, N. J., Goellnicht, N.M. (1990): The age and radio-thermal properties of the Mount Crofton Granite, Telfer area, Western Australia: Aust. J. Earth Sci., 37, 103–106.*
- McNaughton, N. J., Pollard, P. J., Groves, D. I., Taylor, R. G. (1993): A long-lived hydrothermal system in Bushveld granites at the Zaaiplaats tin mine: Lead isotope evidence. Economic Geology, 88, 27–43.*
- Needham, R. S. (1978): Solid Geology of the Pine Creek Geosyncline Northern Territory, BMR, Geology and Geophysics. Canberra, Australia.*
- Needham, R. S., Crick, I. H., Stuart-Smith, P. G. (1980): Regional geology of the Pine Creek Geosyncline. In: Uranium in the Pine Creek Geosyncline, (Eds. Ferguson, J. and Goleby, A.B), pp 1–22, (IAEA, Vienna).*
- Needham, R. S., De Ross, G. J. (1990): Pine Creek Inlier – Regional geology and mineralisation. In: Hughes, F. (ed.) - Geology of the mineral deposits of Australia and Papua New Guinea. The Australasian Institute of Mining & Metallurgy. Monograph series. 14. 727–738.*
- Needham, R. S., Roarty, M. L. (1980): An overview of the metallic mineralisation in the Pine Creek Geosyncline. In: Uranium in the Pine Creek Geosyncline, (Eds. Ferguson, J., and Goleby, A.B.), pp 157–173, (IAEA, Vienna).*
- Needham, R. S., Stuart-Smith, P. G. (1985): Revised stratigraphic nomenclature and correlation of Early Proterozoic rocks of the Darwin-Katherine Region, NT, BMR Journal of Australian Geology and Geophysics, 9, pp 233–238.*
- Needham, R. S., Stuart-Smith, P. G., Page, R. W. (1988): Tectonic evolution of the Pine Creek Inlier, Northern Territory, Precambrian Research, 40/41, pp 543–564.*
- Nicholson, P. M., Eupene, G. S. (1984): Controls on gold mineralisation in the Pine Creek Geosyncline. Proc., 1984 AusIMM Darwin Conference, pp. 377–396.*
- Nicholson, P. M., Eupene, G. S. (1990): Gold deposits of the Pine Creek inlier. In: Geology of the mineral deposits of Australia and Papua New Guinea, (Ed. F Hughes F.), pp 739–742, (AusIMM, Melbourne).*
- Nicholson, P. M., Eupene, G. S. (1994): Controls on gold mineralisation in the Pine Creek Geosyncline, Aus IMM, Darwin, Conference 1994, pp 377–396.*
- Nicholson, P. M., Ormsby, W. R., Farrar, L. (1994): A review of the structure and stratigraphy of the central Pine Creek Geosyncline, The AusIMM Annual Conference, Darwin, 5 – 9 August 1994, pp 1–9.*
- Olade, M. A. (1980): Geochemical characteristic of tin bearing and tin barren granites, N. Nigeria. Econ. Geol. 75, 1, 71–82. Ottawa.*
- Ormsby, W. R., Nicholson, P. M., Butler, J. K. (1994): Gold and base metal mineralisation in the central Pine Creek Geosyncline. Proceedings The Australasian Institute of Mining & Metallurgy, Annual Conference, pp 1–10.*
- Page, R. W. (1988): Geochronology of early to middle Proterozoic fold belts in Northern Australia; A Review, Precambrian Research, 40/41, pp 1–19.*
- Page, R. W., Compston, W., Needham, R. S. (1980): Geochronology and evolution of the late-Archaean basement and Proterozoic rocks in the Alligator Rivers Uranium Field, Northern Territory, Australia. In, Ferguson, J. & Goleby, A.B. (eds.) Uranium in the Pine Creek Geosyncline. International Atomic Energy Agency, pp. 39–68.*
- Partington, G. A. (1990): A comparison between Archaean gold deposits and lower Proterozoic gold deposits (Pine Creek Geosyncline): Controls on mineralisation. Geological Society of Australia, Abstracts, 25, pp 155–156.*
- Partington, G. A., Cooper, W. C., Stokes, M. A. (1994): Contrasting styles of mineralisation from the Western Arm and Bridge Creek deposits and their relevance to regional exploration in the Pine Creek Geosyncline, NT. Proceedings The Australasian Institute of Mining & Metallurgy, Annual Conference, pp 45–49.*
- Peccerillo, A., Taylor, S. R. (1976): Geochemistry of Eocene calc-alkaline volcanic rocks from the Kastamonu area, Northern Turkey. Contrib. Mineral. Petrol., 58, 63–81.*
- Pitcher, W. S. (1978): The anatomy of a batholith. J. geol. Soc. London. 135, 157–182.*
- Plant, J. A., O'Brien, C., Tarney, J., Hurdley, J. (1985): Geochemical criteria for the recognition of high heat production granites. In: High heat production (HHP) granites, hydrothermal circulation and ore genesis. IMM, London, pp. 263–285.*
- Poxon, R. F., Hein, K. A. A. (1994): The geology and gold mineralisation of the Batman deposit, Mt Todd Project, NT. Pro-*

- ceedings of the Australasian Institute of Mining & Metallurgy, Annual Conference, pp 29-35.
- Rajpoot, G. S. (1992): Granite in Sn metallogenic provinces of Hercynian fold belt (SW England and NW Bohemia) and their comparison with the granites in Himalayas. PhD thesis, ČGU Prague.*
- Rattrigan, J. H., Clarke, A. B. (1955): The geology of the Katherine - Mount Todd - Lewin Springs 1-Mile sheets, Northern Territory. Bureau of Mineral Resources, Australia, Record, 1955/54.*
- Richards, J. R., Ruxton, B. P., Rhodes, J. M. (1977): Isotopic dating of the leucocratic granite, Rum Jungle, Australia. Proc. AusIMM, 264, 33-43.*
- Sanger-Von Oepen, P., Friedrich, G., Kater, G. (1988): Gold-quartz vein mineralisation in Early Proterozoic rocks at Bridge Creek, Howley area, Northern Territory, Australia. In: Bicentennial Gold 88, Extended abstracts, Poster Program Vol 1, pp 204, (Geological Society of Australia, Abstracts 23).*
- Sheppard, S. (1992): An Early Proterozoic shoshonitic lamprophyre-granite association and its relationship to the Tom's Gully gold deposit, Mt Bunney, Northern Territory, Australia. PhD thesis (unpubl.), University of Western Australia.*
- Sheppard, S., Groves, D. I., Tippins, P. A., Vearncombe, J.R. (1991): Early Proterozoic thermal aureole-type gold mineralisation: An unusual example from the Tom's Gully mine, Northern Territory, Australia. In: Ladiera, E.A. (ed.), Brazil Gold '91, Extended Abstracts. Balkema, Rotterdam. pp. 453-460.*
- Simpson, P. G. (1994): Geology and mining of the Sundance gold mine, Batchelor, Northern Territory. 1994 Darwin Annual Conference, The Australian Institute of Mining & Metallurgy, pp. 89-96.*
- Simpson, P. R., Plant, J. A. (1984): Role of high heat production granites in uranium province formation. In: De Vivo, B., Ippolito, F., Capaldi, G. & Simpson, P. R. (eds.), Uranium geochemistry, mineralogy, geology, exploration and resources. The Institution of Mining & Metallurgy.*
- Smart, P. G., Wilkes, P. G., Needham, R. S., Watchman, A. L. (1976): Geology and geophysics of the Alligator Rivers Region. In: Knight, C. L. (ed.) Economic geology of Australia and Papua New Guinea. 1. Metals. The Australasian Institute of Mining & Metallurgy, Monograph series, 5, 285-301.*
- Solomon, M., Heinrich, C. A. (1992): Hot granites and the origin of giant lead-zinc deposits in the Mount Isa and McArthur River areas, Australia. In: Jonasson, I. R. IAGOD, Eighth quadrennial symposium, Ottawa, 1. pp. 85-91.*
- Stacey, J. S., Kramers, J. D. (1975): Approximation of terrestrial lead isotope evolution by a two-stage model. Earth & Planetary Science Letters 26, pp. 207-221.*
- Stuart-Smith, P. G. (1985): Geology and metallogeny of the Cullen Mineral Field, Northern Territory. M. Sc. Dissertation, James Cook University of North Queensland, Townsville (unpublished).*
- Stuart-Smith, P. G., Needham, R. W., Page, R. W., Wyborn, L. A. J. (1993): Geology and mineral deposits of the Cullen Mineral Field, Northern Territory, AGSO Bulletin 229.*
- Sullivan, C. J., Iten, K. W. B. (1952): The geology and mineral resources of the Brocks Creek District, Northern Territory. Bureau of Mineral Resources, Geology and Geophysics, Bulletin No. 12.*
- Tucker, D. H., Stuart, D. C., Hone, I. G., Sampath, N. (1980): The characteristics and interpretation of regional gravity, magnetic and radiometric surveys in the Pine Creek Geosyncline. In, Ferguson, J. & Goleby, A. B. (eds.) Uranium in the Pine Creek Geosyncline. International Atomic Energy Agency, pp. 101-140.*
- Vigneresse, J. L. (1988): Forme et volumes des plutons granitiques. – Bull. Soc. Geol. France. 8, IV, 6, 897-906.*
- Wall, V. J. (1989): Fluids and metamorphism, PhD thesis (unpublished), Monash University, Victoria.*
- Wall, V. J., Taylor, J. R. (1990): Granite emplacement and temporally related gold mineralisation. Geological Society of Australia, Abstracts, 25, 264-265.*
- Walpole, B. P., Crohn, P. W., Dunn, P. R., Randall, M. A. (1968): Geology of the Katherine-Darwin region. Northern Territory. Bur. Min. Res. Geol. and Geophys. Bull. 82.*
- Wang, L. G., McNaughton, N. J., Groves, D. I. (1993): An overview of the relationship between granitoid intrusions and gold mineralisation in the Archaean Murchison Province, Western Australia. Mineralium Deposita, 28, 482-494.*
- Webb, P. C., Tindle, A. G., Borritt, S. D., Brown, G. C., Miller, J. F. (1985): Radiothermal granites of the United Kingdom: Comparison of fractionation patterns and variation of heat production for selected granites. In: High heat production (HHP) granites. Hydrothermal circulation and ore genesis. IMM. London. pp. 409-424.*
- Wyborn, L. A. J. (1988): Petrology, geochemistry and origin of a major Australian 1880-1840 Ma felsic volcano-plutonic suite: a model for intracontinental felsic magma generation. Precambrian Res., 40/41, pp. 37-60.*
- Wyborn, L. A. J., Heinrich, C. A., Jaques, A. L. (1994): Australian Proterozoic mineral systems: Essential ingredients and mapable criteria. Proceedings The Australasian Institute of Mining & Metallurgy, Annual Conference, pp. 109-116.*
- Wyborn, L. A. J., Wyborn, D., Warren, R. G., Drummond, B. J. (1992): Proterozoic granite types in Australia: implications for lower crust composition, structure and evolution. Transactions of the Royal Society of Edinburgh: Earth Sciences, 83, 201-209.*
- Wygralak, A. S., Ahmad, M. (1990): Fluid inclusion and stable isotope studies of Au-quartz vein deposits in the Pine Creek Geosyncline, Northern Territory. Geol. Soc. Australia Abstr. 25, 157.*